

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*7081.1	- West Buoy 8					Red nun.	
	Chandler Cove						3/00
7084	- Buoy 2					Red nun.	
	*						3/00
7315	COUSINS ISLAND LIGHT						<i>Remove from list.</i>
							*
							3/00
	*Delete Heading: *West Approach						
21757	BARTLETT REEF LIGHT On south end of reef.						<i>Remove from list.</i>
							*
							3/00
	*Add Heading: *West Approach						
*21758	Bartlett Reef Buoy 1					Green can.	
							3/00
21945	WINTHROP POINT LIGHT	41 21 36 N 72 05 18 W	FI G 6s	10		Mooring island.	
							*
							3/00
	*Add Note:						
	Massapequa Creek						
	<i>*Buoys in channel are maintained from May 1 to Nov. 1 unless otherwise noted.</i>						
33755	- Daybeacon 8	40 39 00 N 73 28 24 W				TR on pile.	Private aid.
							3/00

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
9910	- Buoy 2						<i>Remove from list.</i>
							*
							3/00
	*Add Heading: *Warehouse Creek						
*16336.01	- Daybeacon 1WC	37 50 36 N 76 19 18 W				SG on pile.	Private aid.
							3/00
*16336.02	- Daybeacon 2					TR on pile.	Private aid.
							3/00

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceeding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*16336.03	- Daybeacon 3					SG on pile.	Private aid. 3/00
*16336.04	- Daybeacon 4					TR on pile.	Private aid. 3/00
*16336.05	- Daybeacon 5					SG on pile.	Private aid. 3/00
*16336.06	- Daybeacon 6					TR on pile.	Private aid. 3/00
*16336.07	- Daybeacon 7					SG on pile.	Private aid. 3/00
	*Add Heading: *Great Wicomico River						
16340	GREAT WICOMICO RIVER LIGHT A Marks structure supporting power cable poles.	37 50 54 N 76 22 06 W	F Y	10		On dolphin.	Private aid. 3/00
39235	- LIGHT 65		FI G 4s *	15	4	SG-SY on pile. *	3/00
39240	- LIGHT 65A		Q G *	15	3	SG-SY on pile. *	3/00

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
3575 34595	- APPROACH RANGE REAR LIGHT 573 yards, 297° from front light. *		Iso R 6s	37		KRW on white skeleton structure on piles.	Visible 2° each side of rangeline. 3/00
10325	- ENTRANCE RANGE REAR LIGHT 924 yards, 269.5° from front light.		RWG (Directional)	135		KRW on skeleton tower.	FI R to 267.75° to 268°, FR 268° to 269°, AIWR 269° to 269.25°, W phase increasing with bearing, FW 269.25° to 269.75°, AIWG 269.75 to 270°, G phase increasing with bearing, FG 270° to 271°, FI G 271° to 271.25°. * 3/00

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceeding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
34595 3575	ASHLEY RIVER APPROACH RANGE REAR LIGHT 573 yards, 297° from front light.		Iso R 6s	37		KRW on white skeleton structure on piles.	Visible 2° each side of rangeline.
	*						3/00
CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
680	<i>Texas A & M Oceanographic Lighted Buoy P</i> Marks subsea installation.						<i>Remove from list.</i>
							* 3/00
1080 21450	Sabine Pass East Jetty Light	29 38 42 N 93 49 24 W	FI W 5s	42	13	Cylindrical steel tower on piles.	HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si). Continuously from Nov. 1 to Apr. 30.
					*		3/00
10890	- LIGHT 72		FI R 6s	17	4	TR on pile.	
				*		*	3/00
10945	- LIGHT 86	29 47 36 N 89 33 00 W	FI R 6s	17	4	TR on pile.	
		*				*	3/00
13410	LIVE OAK LIGHT 69 RDB Mile 68.6.		Iso G 6s		7	SG on pile.	
	*					*	3/00
13415	OAKVILLE LIGHT 71 RDB Mile 69.9.		Iso G 6s		7	SG on skeleton tower on concrete pad.	
	*					*	3/00
13460	SHINGLE POINT APPROACH LIGHT 78 LDB Mile 77.8.	29 52 24 N 89 58 18 W	FI R 4s		5	TR on skeleton tower on mud sill.	
	*					*	3/00
13470	ENGLISH TURN BEND LIGHT 79 RDB Mile 78.0.		Iso G 6s		8	SG on skeleton tower on concrete pad.	
	*					*	3/00
New Orleans to Baton Rouge							
13815	WAGGAMAN LIGHT 109 RDB Mile 109.1.	29 55 00 N 90 12 00 W	Iso G 6s		8	SG on skeleton tower.	
	*	*					3/00

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceeding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
13875	AMA LIGHT 119 RDB Mile 116.7.		Iso G 6s		7	SG on skeleton tower on piles.	
	*				*		3/00
14505	EVAN HALL LIGHT 177 RDB Mile 177.9.		Iso G 6s		8	SG on skeleton tower on mud sills.	
	*					*	3/00
14600	EUREKA LIGHT 195 RDB Mile 194.8.	30 11 24 N 91 10 00 W	Iso G 6s		6	SG on pile.	
	*	*				*	3/00
14720	PLAQUEMINE BEND LIGHT 213 RDB Mile 210.4.	30 19 06 N 91 13 06 W	Iso G 6s		4	SG on pile.	
	*	*				*	3/00
14863	Lower Baton Rouge Anchorage Upper Daybeacon 229.0.	30 26 06 N 91 11 36 W			NY on pile.		Ra ref.
	*						3/00
Sabine Pass							
21450 1080	- East Jetty Light	29 38 42 N 93 49 24 W	FI W 5s	42	13	Cylindrical steel tower on piles.	HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si). Continuously from Nov. 1 to Apr. 30.
					*		3/00
26395	- LIGHT 78		Q R	17	3	TR on pile.	Ra ref.
						*	3/00

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
17410	WEST OLYMPIA SHOAL LIGHT 1	47 05 30 N 122 55 30 W	FI G 4s	21	4	SG on dolphin.	
					*		3/00
17565	KALA POINT LIGHT 2	48 03 30 N 122 46 00 W	FI R 4s	25	4	TR on skeleton tower.	
					*		3/00
17575	- CANAL LIGHT 4		FI R 4s	16	4	TR on dolphin.	
					*		3/00
17585	- CANAL LIGHT 6		FI R 4s	13	4	TR on steel tower.	
					*		3/00
18630	ONAMAC POINT LIGHT 6		FI R 6s	15	4	TR on platform.	
					*	*	3/00

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceeding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
Swinomish Channel North Entrance							
19075	- LIGHT 2	48 30 36 N 122 33 24 W	FI R 4s	18	4	TR on dolphin.	Ra ref.
					*		3/00
19185	- LIGHT 7		FI G 4s	32	4	SG on tower.	
					*	*	3/00
19295	LUMMI ISLAND LIGHT 3	48 41 30 N 122 38 42 W	FI G 4s	16	5	SG on tower.	
					*		3/00
19615	- NORTH BREAKWATER LIGHT 3	48 32 24 N 123 00 54 W	FI G 4s	8	3	SG on pedestal.	
	*						3/00

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceeding the station number.